




174
175
176

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		-50 ADDED OVERALL DIM, CH'D TEXT.	4/24/2009	RJC	RW
2		-30 ADDED REFERENCE DIM Ø.705. -50 CH'D I.D. FROM .718.	6/23/2011	RJC	RW
3	15-0310	-10 ADDED WELDMENT. -20 CORRECTED B/O INFO WAS PROTO #5261 IS PROTO #J5261 (MSC #85214161) MODIFIED. -30 CORRECTED B/O INFO WAS PROTO #4990 IS PROTO #J4990 3/8XL (MSC #84967330) MODIFIED. -40 CH'D MATERIAL CALLOUT WAS 1018 IS 1018/1020, CH'D TITLEBLOCK TOLERANCE. -60 ADDED B/O P/N MCMASTER-CARR #98296A849.	9/24/2015	RJC	JAG



	
TITLE CLUTCH REMOVAL TOOL	
DWG NO. RBF5450-501-1	REV 3
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: COLE APPROVED: D Weil HEAT TREAT FINISH: SPEC:
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL MD 369
SCALE 1:4	DATE 9/1/2000
SHEET 1 OF 6	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-10	1	HANDLE WELDMENT			2
			-20	1	EXTENSION	STEEL	3/8dr. X 8 PROTO #J5261 (MSC #85214161) MODIFIED	3
			-30	1	LONG HEX BIT SOCKET	STEEL	3/8dr. 3/8 X 6-3/32 PROTO #J4990 3/8XL (MSC #84967330) MODIFIED	4
	1		-40		HANDLE	1018/1020		5
	1		-50		TUBE	CDS OR DOM		6
		B/O	-60	1	ROLL PIN	STEEL	Ø3/32 X 5/8 (MCMASTER-CARR #98296A849)	1
	ASSY -10							

